

DDH	Grid East	Grid North	From (m)	To (m)	Length (m)	Au g/t
PAR-20-100	5440	190	18.5	22.5	4	1.86
<i>including</i>	5440	190	20.05	22.5	2.45	2.69
<b>PAR-20-100</b>	<b>5440</b>	<b>190</b>	<b>26.65</b>	<b>33.5</b>	<b>6.85</b>	<b>1.62</b>
<i>including</i>	5440	190	27.55	31.7	4.15	2.38
<b>PAR-20-100</b>	<b>5440</b>	<b>190</b>	<b>88.5</b>	<b>111</b>	<b>22.5</b>	<b>1.21</b>
<i>including</i>	5440	190	94.5	108.5	14	1.77
<i>Also including</i>	5440	190	96.5	101.5	5	3.35
PAR-20-100	5440	190	254.15	260	5.85	0.5
PAR-20-100	5440	190	269.4	270.5	1.1	0.85
PAR-20-100	5440	190	292.5	293	0.5	1.43
PAR-20-100	5440	190	355.9	365.5	9.6	0.59
<i>including</i>	5440	190	361.6	365.5	3.9	1
<b>PAR-20-101</b>	<b>5500</b>	<b>227</b>	<b>7.8</b>	<b>21</b>	<b>13.2</b>	<b>1.09</b>
<i>including</i>	5500	227	9	17	8	1.65
<i>which includes</i>	5500	227	11	13.6	2.6	3
<i>and includes</i>	5500	227	14.35	17	2.65	1.06
PAR-20-101	5500	227	53.6	62.75	9.15	0.56
<i>includes</i>	5500	227	61.2	62.75	1.55	1.44
PAR-20-101	5500	227	232.5	236.35	3.85	0.62
PAR-20-101	5500	227	245.5	260.85	6.55	1.48
PAR-20-102	5575	120	34	35.5	1.5	0.95
PAR-20-102	5575	120	202.7	203.05	0.35	2.39
PAR-20-102	5575	120	220	221.5	1.5	3.53
PAR-20-102	5575	120	225.5	226.5	1	1.66
PAR-20-102	5575	120	232.5	233.75	1.25	1.95
<b>PAR-20-103</b>	<b>5625</b>	<b>226</b>	<b>7.2</b>	<b>13</b>	<b>5.8</b>	<b>1.23</b>
<i>Including</i>	5625	226	8.2	9.5	1.3	4.43
PAR-20-103	5625	226	62.75	63.3	0.55	2.32
PAR-20-103	5625	226	131.3	135.3	4	1.8
PAR-20-104A	5250	80	25.5	31.5	6	1.25
<b>PAR-20-104A</b>	<b>5250</b>	<b>80</b>	<b>53</b>	<b>66</b>	<b>13</b>	<b>1.72</b>
PAR-20-104	5250	80	25.5	27	1.5	0.6
PAR-20-104	5250	80	62.5	66	3.5	0.7
PAR-20-104	5250	80	76.5	78	1.5	0.79
PAR-20-104	5250	80	352.7	354	1.3	0.62
PAR-20-104	5250	80	434.4	436.5	2.1	0.5
<b>PAR-20-104</b>	<b>5250</b>	<b>80</b>	<b>448</b>	<b>451.6</b>	<b>3.6</b>	<b>1.63</b>
PAR-20-104	5250	80	448	450.1	2.1	2.17
PAR-20-105	5725	50	83.4	84.9	1.5	5.34
PAR-20-105	5725	50	159	159.5	0.5	15.8
<b>PAR-20-105</b>	<b>5725</b>	<b>50</b>	<b>174.7</b>	<b>177.7</b>	<b>3</b>	<b>6.43</b>
PAR-20-106	5100	70	22.5	24	1.5	1.32
PAR-20-106	5100	70	196.5	201.7	5.2	0.76

<b>PAR-20-106</b>	<b>5100</b>	<b>70</b>	<b>211.35</b>	<b>215.8</b>	<b>4.45</b>	<b>1.32</b>
PAR-20-106	5100	70	221.5	225	3.5	1.41
PAR-20-106	5100	70	366	376.75	10.75	0.45
<i>including</i>	5100	70	368.5	369.1	0.6	1.26
PAR-20-107	5200	265	36	38.5	2.5	0.63
PAR-20-107	5200	265	42	43	1	3.94
PAR-20-107	5200	265	57.2	65.1	7.9	0.54
<i>including</i>	5200	265	57.2	60.5	3.3	0.79
PAR-20-107	5200	265	108.8	109.7	0.9	0.9
<b>PAR-20-107</b>	<b>5200</b>	<b>265</b>	<b>141</b>	<b>145</b>	<b>4</b>	<b>4.02</b>
PAR-20-108	5175	260	76.9	78.5	1.6	0.901
PAR-20-108	5175	260	156.65	158.15	1.5	2.05
PAR-20-109	5150	270	2.3	2.8	0.5	1.84
<b>PAR-20-109</b>	<b>5150</b>	<b>270</b>	<b>31</b>	<b>37.5</b>	<b>6.5</b>	<b>0.91</b>
PAR-20-109	5150	270	60.8	64.5	3.7	0.52
PAR-20-109	5150	270	124.05	128	3.95	0.68
<i>including</i>	5150	270	126.5	128	1.5	0.908
<b>PAR-20-109</b>	<b>5150</b>	<b>270</b>	<b>136.15</b>	<b>149</b>	<b>12.85</b>	<b>0.69</b>
PAR-20-110	5225	220	58.15	59.15	1	1.09
<b>PAR-20-110</b>	<b>5225</b>	<b>220</b>	<b>136.5</b>	<b>142.5</b>	<b>6</b>	<b>1.1</b>
PAR-20-110	5225	220	118.65	124.5	5.85	0.78
PAR-20-110	5225	220	151	154	3	1.18
PAR-20-110	5225	220	216	217.5	1.5	0.708
PAR-20-110	5225	220	229.5	231	1.5	0.546
<b>PAR-20-110</b>	<b>5225</b>	<b>220</b>	<b>250.8</b>	<b>260.3</b>	<b>9.5</b>	<b>0.72</b>
PAR-20-111	5250	220	60.7	62	1.3	0.808
<b>PAR-20-111</b>	<b>5250</b>	<b>220</b>	<b>97.6</b>	<b>106</b>	<b>8.4</b>	<b>0.65</b>
PAR-20-111	5250	220	108.55	110	1.45	0.911
PAR-20-111	5250	220	184.75	185.45	0.7	2.49
<b>PAR-20-111</b>	<b>5250</b>	<b>220</b>	<b>213</b>	<b>220.3</b>	<b>7.3</b>	<b>1.51</b>
PAR-20-112	5300	225	153.65	155	1.35	2.26
PAR-20-112	5300	225	173	174	1	1.04
PAR-20-112	5300	225	214.5	219	4.5	0.71
PAR-20-112	5300	225	223.1	223.85	0.75	1.91
<b>PAR-20-112</b>	<b>5300</b>	<b>225</b>	<b>254.8</b>	<b>276.25</b>	<b>21.45</b>	<b>5.57</b>
<i>including</i>	5300	225	254.8	271.5	16.7	6.27
<i>OR including</i>	5300	225	258.2	271.5	13.3	8.28
<i>including</i>	5300	225	262.15	265.9	3.75	12.08
<b>AND includes</b>	<b>5300</b>	<b>225</b>	<b>264.9</b>	<b>265.9</b>	<b>1</b>	<b>37.3</b>
<b>AND includes</b>	<b>5300</b>	<b>225</b>	<b>269.4</b>	<b>270.5</b>	<b>1.1</b>	<b>32</b>
PAR-20-113	5125	285	3.9	5	1.1	1.81
PAR-20-113	5125	285	44.7	48.7	4	0.68
<b>PAR-20-113</b>	<b>5125</b>	<b>285</b>	<b>88.2</b>	<b>92.1</b>	<b>3.9</b>	<b>1.19</b>
PAR-20-113	5125	285	96.5	98	1.5	0.608
<b>PAR-20-114</b>	<b>5250</b>	<b>80</b>	<b>315.75</b>	<b>325.9</b>	<b>10.15</b>	<b>0.7</b>

PAR-20-114	5250	80	331	332.2	1.2	1.02
PAR-20-114	5250	80	380.5	381	0.5	1.63
PAR-20-114	5250	80	410.7	411.85	1.15	2.64
PAR-20-115	5200	265	184.5	189	4.5	1.03
<b>PAR-20-115</b>	<b>5200</b>	<b>265</b>	<b>206.3</b>	<b>210</b>	<b>3.7</b>	<b>1.65</b>
PAR-20-115	5200	265	216	219.8	3.8	0.58
PAR-20-115	5200	265	233.2	239.85	6.65	0.63
PAR-20-115	5200	265	243	244.5	1.5	0.519
PAR-20-115	5200	265	247.5	249	1.5	0.52
PAR-20-116	5050	200	76	78.85	2.85	1.08
<b>PAR-20-116</b>	<b>5050</b>	<b>200</b>	<b>108.9</b>	<b>158.5</b>	<b>49.6</b>	<b>1.46</b>
<i>including</i>	<b>5050</b>	<b>200</b>	<b>135.5</b>	<b>138</b>	<b>2.5</b>	<b>8.63</b>
PAR-20-116	5050	200	215.75	217	1.25	1.71
PAR-20-117	5525	181	17.15	17.8	0.65	1.23
PAR-20-118	5525	90	136.65	138	1.35	0.99
PAR-20-118	5525	90	194.35	195.85	1.5	2.28
PAR-20-118	5525	90	136.65	138	1.35	0.989
PAR-20-119	6025	290	154.5	157.3	2.8	1.27
PAR-20-119	6025	290	208.5	210	1.5	0.89
PAR-20-120	5725	140	166.1	169.05	2.85	1.02
PAR-20-120	5725	140	220.2	220.5	0.3	1.06
PAR-20-120	5725	140	234.6	235.1	0.5	0.75
PAR-20-120	5725	140	299.85	300.85	1	0.79
PAR-20-120	5725	140	302.15	302.65	0.5	1.12
PAR-20-120	5725	140	368.75	370.5	1.75	3.89
<b>PAR-20-121</b>	<b>5725</b>	<b>140</b>	<b>128</b>	<b>139.75</b>	<b>10.75</b>	<b>1.54</b>
including	5725	140	129.15	132	2.85	3.61
also includes	5725	140	130.5	131.5	1	7.97
PAR-20-122	5675	160	47.5	50.5	3	0.53
PAR-20-122	5675	160	63	64	1	1.18
PAR-20-122	5675	160	67	68	1	2.26
PAR-20-122	5675	160	72.5	74	1.5	0.88
PAR-20-122	5675	160	100.5	102	1.5	1.06
PAR-20-122	5675	160	157.3	159.05	1.75	0.63
PAR-20-122	5675	160	237	239.05	2.05	0.63
PAR-20-122	5675	160	299.1	299.9	0.8	1.72
PAR-20-122	5675	160	314.5	316	1.5	1.09
PAR-20-123	5800	147	25	26	1	1.06
PAR-20-123	5800	147	36.5	37.5	1	2.35
PAR-20-123	5800	147	40.05	41.2	1.15	2.47
PAR-20-123	5800	147	74.5	76.9	2.4	1.8
including	5800	147	76.4	76.9	0.5	7.03
PAR-20-123	5800	147	108.9	112.75	3.85	1.12
PAR-20-123	5800	147	257.5	260.25	2.75	0.67

including	5800	147	257.5	259	1.5	0.95
<b>PAR-20-123</b>	<b>5800</b>	<b>147</b>	<b>282</b>	<b>290</b>	<b>8</b>	<b>0.89</b>
including	5800	147	282	284.3	2.3	1.34
PAR-20-123	5800	147	287.65	288.25	0.6	3.79
<b>PAR-20-124</b>	<b>5900</b>	<b>140</b>	<b>282.5</b>	<b>287.05</b>	<b>4.55</b>	<b>1.13</b>
<b>PAR-20-124</b>	<b>5900</b>	<b>140</b>	<b>358.4</b>	<b>359.5</b>	<b>3.45</b>	<b>1.54</b>
PAR-21-126	5850	250	86.9	87.35	0.45	5.2
PAR-21-126	5850	250	95.3	96.5	1.2	1.28